

DE076  
30" Built-In Multi-function Double Oven

# DE076

## 30" Built-in Multi-Function Double Oven



### OVEN FEATURES

- Combined 120L (4.3 cu. ft) capacity
- ThermiC° hot air cooking technology for perfect cooking
- Isofont® Triple glazed glass door
- 10 cooking functions in upper oven including True Fan Convection / 5 cooking functions in the bottom oven
- Oven power indicator and temperature pilot light
- Audible signal for set temperature
- Metric and Imperial baking chart on interior of door
- 5 shelf positions
- Cooling fan
- Residual heat indicator

### UPPER OVEN PROGRAMS

- Ventitherm®/True Fan Convection
- Pizza Mode
- Conventional Cooking
- Rotitherm® Roasting/Turbo Grilling
- Fast Grilling
- Grilling
- Fan Assist
- High Bake
- Steam Clean Assist

### BOTTOM OVEN PROGRAMS

- Rotitherm® Roasting/Turbo Grilling
- Bottom Heat
- High Bake
- Steam Clean Assist

### UPPER OVEN ACCESSORIES

- 2 x chrome oven racks - 21" W x 15¼" D
- 1 x grill/roasting pan
- 1 x reversible grill insert
- 6 shelf positions
- 1 pair of telescopic rails

### BOTTOM OVEN ACCESSORIES

- 2 x chrome oven racks - 21" W x 15¼" D
- 1 x grill/roasting pan
- 1 x reversible grill insert
- 6 shelf positions
- 1 pair of telescopic rails

# Specifications (Column Installation)

## DE076

### OVEN DIMENSIONS

- D: 22" x H: 45<sup>1</sup>/<sub>16</sub>" x W: 29<sup>3</sup>/<sub>4</sub>"
- D: 558 mm x H: 1144 mm x W: 758 mm

### CUT-OUT DIMENSIONS

- D: 22<sup>1</sup>/<sub>4</sub>" x H: 44<sup>3</sup>/<sub>4</sub>" x W: 28<sup>1</sup>/<sub>2</sub>"
- D: 565 mm x H: 1137 mm x W: 724 mm

### CONDO ELECTRICAL REQUIREMENTS

- 208 Volt, 60Hz, 6920 Watt, 40 AMP

### HOUSE ELECTRICAL REQUIREMENTS


- 240 Volt, 60Hz, 8150 Watt, 40 AMP

### \*IMPORTANT\*

- AEG ovens are supplied with a 4' long electrical cable and must be hard wired to the electrical supply
- AEG ovens uses the following wires:  
RED & BLACK: Live Wires  
GREEN: Ground  
The Neutral (White) wire is not required for the electrical installation.

### VOID CUT-OUT

- If the oven is mounted in a tall or demi-tall cabinet, there must be a minimum gap of 19/16" (4cm) cut out of the shelf and behind the upper cabinet to allow air to flow freely
- A void must be cut-out in the shelf of the cabinet. Leave 4" of shelf material around the void.
- Additional support must be added to the shelf with the void. The support must be able to withstand the oven weight.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Optional bottom vent grill (7427640) available.



### FALSE BACKS

- Install false backs for storage spaces. This will prevent contents from falling through the vent space. In addition, warm air will not interfere with your stored contents

Oven Specifications are subject to change without notice  
Detailed Specification Available at [www.aeg-appliances.ca](http://www.aeg-appliances.ca)

**AEG** products are designed and built to the highest standards.  
Each appliance is covered by a comprehensive 2 year parts and labour warranty.

Refer to product warranty policy for complete terms and conditions.

For Service & Parts  
**EURO-PARTS**

39822 Belgrave Rd,  
Belgrave, Ontario, Canada,  
N0G 1E0

1.800.678.8352

---

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc.

For more information visit

[www.euro-line-appliances.com](http://www.euro-line-appliances.com) / [www.elawest.com](http://www.elawest.com)

***EURO-LINE APPLIANCES INC.***

871 Cranberry Court  
Oakville, ON L6L 6J7  
Canada  
Toll Free: 1.800.421.6332  
Showroom: 905.829.3980  
[marketing@euro-line-appliances.com](mailto:marketing@euro-line-appliances.com)

***EURO-LINE APPLIANCES WEST INC.***

2912 West 4th Ave  
Vancouver, BC V6K 1R2  
Canada  
Toll Free: 1.855.ELA WEST (352.9378)  
Showroom: 604.235.3980  
[info@elawest.com](mailto:info@elawest.com)