

KS8100001M
24" Built-in Compact Steam Oven

KS8100001M

24" Built-in Compact Steam Oven



OVEN FEATURES

- 35L (1.2 cu. ft) capacity
- ProCombi® Steam & Dry Heat Cooking
- ThermiC° hot air cooking technology for perfect cooking
- Isofont® Quadruple glazed glass door
- SoftMotion® Soft close door
- ProSight® Interactive digital information display
- FloodLight® inclined flood light
- ProFrame° Anti-fingerprint stainless steel
- 12 cooking functions including True Fan Convection
- Panoramic view window
- Metric and Imperial baking chart on interior of door
- 3 Shelf positions
- Cooling fan
- Child safety lock

OVEN PROGRAMS

- 100% Steam – fixed temperature at 96°
- Interval Steam – 25% steam plus 75% heat
- Eco Steam
- Moist Fan Baking
- True Fan Convection
- Slow Cook
- Conventional Cooking
- Frozen Foods
- Bottom Heat
- Defrost
- Keep Warm
- Turbo Grilling
- Fast Grilling
- Grilling
- Eco Roasting
- Automatic Programmes (x12)

OVEN CLEANING FEATURES

- Steam clean technology
- Diamond glazed enamel interior
- Removable door and glass panes for easy cleaning

OVEN ACCESSORIES

- Grill/roasting pan
- Baking tray
- Perforated pastry tray
- 1 chrome oven rack : 18^{3/8}" W x 15^{3/16}" D
- Sponge 180
- Optional full extension telescopic rails (TR3LFSTV)

Specifications (Column Installation)

KS8100001M

OVEN DIMENSIONS

- D: 23^{1/8}" x H: 15^{1/4}" x W: 23^{3/8}"
- D: 588 mm x H: 388 mm x W: 594 mm

CUT-OUT DIMENSIONS

- D: min. 22^{1/4}" x H: 14^{15/16}" x W: 22^{1/16}"
- D: min. 565 mm x H: 380 mm x W: 560 mm

ELECTRICAL REQUIREMENTS


- 208 / 230 Volt, 60Hz, 2950 Watt, 20 AMP

IMPORTANT

- AEG ovens are supplied with a 4' long electrical cable and must be hard wired to the electrical supply
- AEG ovens uses the following wires:
RED & BLACK: Live Wires
GREEN: Ground
The Neutral (White) wire is not required for the electrical installation.

VOID CUT-OUT

- If the oven is mounted in a tall or demi-tall cabinet, there must be a minimum gap of 19/16" (4cm) cut out of the shelf and behind the upper cabinet to allow air to flow freely
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Optional bottom vent grill (7427640) available.



FALSE BACKS

- Install false backs for storage spaces. This will prevent contents from falling through the vent space. In addition, warm air will not interfere with your stored contents


Oven Specifications are subject to change without notice
Detailed Specification Available at www.aeg-appliances.ca

Specifications (Under Counter Installation)

KS8100001M

AIR FLOW REQUIREMENTS

- If the oven is being placed under the counter, there must be a minimum gap of 19/16" (4cm) cut out of the shelf behind the oven to allow air to flow freely.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Bottom vent grill (7427640) available.



Oven Specifications are subject to change without notice
Detailed Specification Available at www.aeg-appliances.ca

AEG products are designed and built to the highest standards.
Each appliance is covered by a comprehensive 2 year parts and labour warranty.

Refer to product warranty policy for complete terms and conditions.

For Service & Parts
EURO-PARTS

39822 Belgrave Rd,
Belgrave, Ontario, Canada,
N0G 1E0

1.800.678.8352

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc.

For more information visit

www.euro-line-appliances.com / www.elawest.com

EURO-LINE APPLIANCES INC.

871 Cranberry Court
Oakville, ON L6L 6J7
Canada
Toll Free: 1.800.421.6332
Showroom: 905.829.3980
marketing@euro-line-appliances.com

EURO-LINE APPLIANCES WEST INC.

2912 West 4th Ave
Vancouver, BC V6K 1R2
Canada
Toll Free: 1.855.ELA WEST (352.9378)
Showroom: 604.235.3980
info@elawest.com